

Blobarrier®: Tree Skirt Applications

Chart 1 is a general guide only. Your specific applications may require slightly different sizes. As a general rule, the greater the fabric width, the greater the degree of protection against costly root damage. But, like any other root barrier the protection does not extend beyond the edge of the fabric. So it's important to use adequate length and width to assure proper protection.

This field guide is provided as an aid to assessing root control in commonly encountered site conditions. Polymer Group Inc. accepts no responsibility for any loss or damage resulting from the use of this guide.

Please note that the information above is given as a guide only. All sizes and weights are nominal figures and may vary to what is published. Polymer Group Inc. cannot be liable for damage caused by incorrect installation of this product. Final determination of the suitability of any

NOTES:

NOTES:

Note 1: Contact your utility company prior to trenching. Consult a professional arborist if root trimming is required.

Note 2: Install & Cover Biockamier "as so can as possible (within 12 hours) after opening. High temperatures and direct surlight can reduce

Note 3: Dig temperatures a minimum of a fin. wide for "Typer" Biocharier" Root Control Earbic. Trenches must be a minimum length of mature plant canopy plus(+) 10 ft, centered on the root source and adjacent to protection area.

Note 4: Install Typer" Biocharier" Root Control Earbic: on the side of the terrior opposite the root source.

Note 5: Install Typer" Biocharier" Root Control Earbic: with Nodules facing loward root source.

Note 6: Fixing pris should penetrate facing between two modules 14 in. In root to going of biotic and at a 45 " angle to the trench wall.

Specific advice on the use of Biobarrier ® can be obtained from Polymer Group Inc.

Table 1: Biobarrier® Specifications

Description	Data			
Product Chemical Family	Biobarrier® Root Control System Thermoplastic Polyolefin			
	Polypropylene	> 74.8%		
Composition	UV Stabilizer	< 5%		
Composition	Trtfluralin	< 20%		
	Pigment Masterbatch ¹	< 0.5%		
Appearance Physical State Vapor Pressure* Boiling Point Solubility (H ₂ O)* Vapor Density Packing Density Odor pt processive Control of the Medical Point Specific Gravity Percent Volafles UV realisatione Corroshity Flamability Toxicity Hygroscopicity Esposhity Hygroscopicity Esposhity	Gray Fabric Soll 13.7 mPa @ 25°C Not Applicable 0.2 ppm @ 25°C Not Applicable None			
Fabric				
Unit Weight Tensile Strength (lbs.) Elongation at Break (%) Mullen Burst Strength (psi) Puncture Strength (lbs.) Coefficient of Permeability (cm/sec.)	4.0 45.0 > 70.0 175.0 50.0 3 x 10 ²			
Nodule	·			
Base Dlameter (In.) Helght Welght (os.) Spacing (In.)	7/16 1/4 0.013 1-1/2			

Chart 1: Examples of Intended Biobarrier® Root Control Applications & Roll Widths

Application	Root Control Width in. (cm)							
	12 (30)	19.5 (50)	24 (61)	29 (74)	39 (99)	58.5 (1		
Building Foundations					Х	X		
Burial Vaults/Tombstones						X		
Containers			Х	X	X	X		
Curbs		X	X					
Drain Lines	X	X	X	X	X	X		
Earthdams						X		
Golf Greens/Tees/Cart Paths		X	×	X	X			
Landfills						X		
Medians			×	X	X			
Paths	X	X	X	X				
Planting Beds		X	X	X	X	X		
Pot 'N' Pot	SOLD IN 6" X 12" SWATCHES (500/BOX)							
Pots	X	X						
Retaining Walls				X	X	X		
Roads		X	X	X				
Roof Gardens					X	X		
Septic Tanks/Fields						X		
Sidewalks		X	X	X				
Swimming Pools		X	X	X	X			
Tennis Courts		X	X	X	X			
Underground Pipes/Cables	X	X	X	X	X	X		
Underground Storage Tanks						X		
Utility Substations		X	X	X	X			
Blobarrie	r® Root Control	ls avallable in 20	oft. (6.1 m) or 10	00 ft. (30.5m) Rol	Lengths			
Application	Weed Control Width in. (cm)							
, inhining the same of the sam				29 (74)	39 (99)	58.5 (1		
Fence Rows				×	×	X		
Guardrails				×	×	X		
Landscaping				×	X	×		
Pavers				×	X	X		
Street Medians				×	Х	X		
Tombstones				×	Х			
Tree Skirts						X		
Utility Substations						X		